




hp calculators

HP 50g Solving linear systems of equations using matrices

The Numeric Solver

Solving linear systems of equations

Practice solving linear systems



The Numeric Solver

The HP 50g has a numeric solver that can find the solutions to many different types of problems. It is invoked by pressing the ORANGE shift key followed by the $\boxed{7}$ key, or $\boxed{\rightarrow}$ NUM.SLV .

When pressed, the CHOOSE box below is displayed:



Figure 1

The first choice allows for the solution of an equation containing a number of unknowns. The second choice solves differential equation problems. The third choice solves for zeroes of a polynomial. The fourth choice to solve linear systems of equations is the one of interest here. The fifth choice invokes the finance solver. The sixth choice begins the multiple equation solver. To select the linear systems solver, press $\boxed{4}$ $\boxed{\text{ENTER}}$. The 50g displays the following screen:



Figure 2

There are three input areas on this form. The first area is labeled A: and is where the matrix containing the coefficients of the system of linear equations are entered. The second area is labeled B: and is where the constants from the system of equations are entered. The third area is where the values of the unknown variables X in the systems of linear equations are returned when a solution is found. To enter the coefficients in a matrix, press $\boxed{\text{MTRW}}$ when the cursor is beside the area labeled A: and the MatrixWriter is launched.



Figure 3

In many ways, this screen works like any spreadsheet. Enter numbers and they will go in the highlighted cell. The menu labels at the lower left corner of the screen, $\boxed{\text{MTRW}}$ and $\boxed{\text{MTRD}}$, determine the direction the cursor moves after a data point has been entered, either right to the next column or down to the next row. In this example, the selection is to move right after each data point has been entered. This is indicated by the square present next to the $\boxed{\text{MTRW}}$ menu label. To change the way the cursor will move, press the menu label for the direction desired and the square in the menu label will change accordingly. If a column is too small to show the data entered, the $\boxed{\text{MTRW}}$ and $\boxed{\text{MTRD}}$ menu keys may be used to expand or shrink the area displayed for each column.

Enter the first coefficient from the first equation by keying in the numbers and pressing the $\boxed{\text{ENTER}}$ key. The cursor will move to the right into the second column where the second coefficient should be keyed with the $\boxed{\text{ENTER}}$ key pressed to accept this value. At this point, the cursor will be in column 3. If the system of linear equations being entered has more than two unknown variables, continue entering the data until done. Use the $\boxed{\text{DOWN}}$ and $\boxed{\text{LEFT}}$ keys to move back to the first column and enter the coefficients from the second

hp calculators

HP 50g Solving linear systems of equations using matrices

equation. Continue entering rows of data into the matrix until done. If at any time you notice a mistake in the data, use the arrow keys to go back to the incorrect data value, key in the correction, press the **ENTER** key to accept the change, and then use the arrow keys to go back to where you were. After entering a matrix, the screen would look something like this:

```
RAD XYZ HEX R= 'X'  
{HOME}  
2 2 1 2 3 4  
1 12.0... 7.0...  
2 15.0... 19.0...  
3  
4  
5  
3-1:  
EDIT VEC [←] [→] [GO+] [GO+]
```

Figure 4

To accept the data as input, press the **ENTER** key and the matrix will be returned to the system of linear equations solver.

```
RAD XYZ HEX R= 'X'  
{HOME}  
SOLVE SYSTEM A·X=B  
A: [[ 12. 7. ] [ 15. ...  
B:  
X:  
  
Enter coefficients matrix A  
EDIT CH00S [←] [→] [GO+] [GO+]
```

Figure 5

To enter the constants for the linear equations, press the **▽** key and press the menu label **SOLVE** above the **F1** key. The MatrixWriter will be brought up a second time to enter the constants. Note that the constants are entered as a column of numbers rather than a row. Enter the numbers the same way that the coefficients were entered.

```
RAD XYZ HEX R= 'X'  
{HOME}  
2 1 1 2 3 4  
1 147...  
2 168...  
3  
4  
5  
3-1:  
EDIT VEC [←] [→] [GO+] [GO+]
```

Figure 6

When the **ENTER** key is pressed, the constants are returned to the linear equation system solver in the B: area, as shown below.

```
RAD XYZ HEX R= 'X'  
{HOME}  
SOLVE SYSTEM A·X=B  
A: [[ 12. 7. ] [ 15. ...  
B: [[ 147. ] [ 168. ]]  
X:  
  
Enter constants or press SOLVE  
EDIT CH00S [←] [→] [SOLVE]
```

Figure 7

To solve for the values of X that make the system of linear equations work, use the arrow keys to move down to the X: area. Press the menu label **SOLVE** above the **F6** key and the values of X₁ and X₂ that solve the linear system are returned and displayed.

hp calculators

HP 50g Solving linear systems of equations using matrices




Figure 8

The solution may be seen easier by pressing above the key to view the solution in the MatrixWriter. If the columns are too small to see many significant figures, press the menu label to make them wider.



Figure 9

You may also exit to the stack and view the solutions on the first level. To exit to the stack from within the MatrixWriter, as we were immediately above, press and the display will show:



Figure 10

Solving linear systems of equations

There are many times when a problem is presented of the form:

$$\begin{aligned} 5 X_1 + 10 X_2 + 3 X_3 &= 20 \\ 4 X_1 + 1 X_2 + 8 X_3 &= 15 \end{aligned}$$


and the values of X_1 , X_2 , and X_3 are needed. Manual methods to eliminate variables and reduce the number of unknowns used to be the only way to solve these. The 50g makes such solutions easy.

Practice solving linear systems

Example 1: What are the values of X_1 , X_2 , and X_3 that solve the following system of linear equations?

$$\begin{aligned} 5 X_1 + 10 X_2 + 3 X_3 &= 20 \\ 4 X_1 + 1 X_2 + 8 X_3 &= 15 \end{aligned}$$

Solution: To solve this linear system, use the numeric solver as shown.



```
RAD XYZ HEX R= 'X'
<HOME>
2 3 1 2 3
1 5.00... 10.00... 3.00...
2 4.00... 1.00... 8.00...
3
4
5
3-1:
EDIT WEC ← +WID WID→ GO+ = GO+
```

Figure 11

ENTER

```
RAD XYZ HEX R= 'X'
<HOME>
SOLVE SYSTEM A·X=B
A: [[ 5. 10. 3. ] [ 4...
B:
X:
Enter coefficients matrix A
EDIT CHOOS
```

Figure 12

EQW 2 0 ENTER ← 1 5 ENTER

```
RAD XYZ HEX R= 'X'
<HOME>
2 1 1 2 3
1 20.0...
2 15.0...
3
4
5
3-1:
EDIT WEC ← +WID WID→ GO+ = GO+
```

Figure 13

ENTER

```
RAD XYZ HEX R= 'X'
<HOME>
SOLVE SYSTEM A·X=B
A: [[ 5. 10. 3. ] [ 4...
B: [[ 20. ] [ 15. ]]
X:
Enter constants or press SOLVE
EDIT CHOOS SOLVE
```

Figure 14

EQW

```
RAD XYZ HEX R= 'X'
<HOME>
SOLVE SYSTEM A·X=B
A: [[ 5. 10. 3. ] [ 4...
B: [[ 20. ] [ 15. ]]
X: [[ .978835978836 ]...
Enter solutions or press SOLVE
EDIT CHOOS SOLVE
```

Figure 15

EQW EQW EQW

hp calculators

HP 50g Solving linear systems of equations using matrices



Figure 16

ENTER ENTER



Figure 17

Answer: The value of X_1 is 0.9788, the value of X_2 is 1.1376, and the value of X_3 is 1.2434, all approximately of course.

Example 2: What are the values of X_1 , X_2 , and X_3 that solve the following system of linear equations?

$$\begin{aligned} 3 X_1 + 5 X_2 + 1 X_3 &= 36 \\ 1 X_1 + 2 X_2 + 4 X_3 &= 42 \\ 4 X_1 + 3 X_2 + 2 X_3 &= 28 \end{aligned}$$

Solution: To solve this linear system, use the numeric solver as shown.

NUM.SLV 4 ENTER 3 ENTER 5 ENTER 1 ENTER 3 6 ENTER 4 2 ENTER 2 8 ENTER ENTER




Figure 18

ENTER 3 6 ENTER 4 2 ENTER 2 8 ENTER ENTER




Figure 19

SOLVE

□

hp calculators

HP 50g Solving linear systems of equations using matrices

```
RAD XYZ MEN R= 'X'  
(HOME)  
-----  
SOLVE SYSTEM A·X=B  
A: [[ 3. 5. 1. ] [ 1. ...  
B: [[ 36. ] [ 42. ] [...  
X: [[ -1.90243902439 ...  
  
Enter solutions or press SOLVE  
EDIT CHOS SOLVE
```

Figure 20

ENTER

```
RAD XYZ MEN R= 'X'  
(HOME)  
-----  
0:  
4:  
00:  
2:  
1:  
Solutions: [-1.902439  
              6.829264  
              7.560975  
EDIT VIEW RCL STO PURGE CLEAR
```

Figure 21

Answer: The value of X_1 is -1.9024 , the value of X_2 is 6.8293 , and the value of X_3 is 7.5609 , all approximately.